

## **EZ SERIES BOOSTER PUMPS**

Cast Iron And Stainless Steel Booster Pumps



**Webtrol** has been building Booster Pumps for over 40 years for various industrial, commercial and agricultural uses and has long been a leader in the Reverse Osmosis and Deionization Industry.

Webtrol's commitment to quality is defined in the construction of each Booster Pump, through use of only quality materials and precision machining by journeyman machinists. Every pump is hand assembled and checked during each step, up to the final test, where each pump is checked for flow, pressure, power consumption, leaks, vibration and noise.

#### **Features And Benefits**

- Available in both Stainless Steel and Cast Iron fitted models.
- Heavy duty stainless steel hex shaft with stainless steel coupling.
- High strength, glass filled Delrin, polycarbonate or Noryl impellers, precision machined for dimensional stability and efficiency.
- Injection molded polycarbonate or Noryl diffusers with molded in stainless steel wear rings at all critical wear points.
- · Heavy wall stainless steel pump housing


#### Specifications

Webtrol EZ Series Booster Pumps are available from 5 to 35 Gallons Per Minute. Pressures to 500 PSI



# **EZ SERIES BOOSTER PUMPS**


**Construction And Design Features** 



CONSTRUCTION MATERIALS		
Part	Cast Iron	316SS
Inlet / Motor Bracket	Cast Iron	316SS
Discharge Housing	Cast Iron	316SS
Pump Housing	304SS	316SS
Impellers	Thermoplastic	Thermoplastic
Diffusers	Thermoplastic	Thermoplastic
Wear Rings	302SS	316SS
Shaft & Coupling	416SS	316SS
Mechanical Seal	Carbon/Ceramic	Carbon/Ceramic
O-Rings	Buna-N	Viton


Inlet And Discharge Size		
Part	Series (GPM)	Size (FNPT)
Inlet / Discharge	5, 10, 15	1"
Inlet / Discharge	20, 35	1 1/2"








**EZ SERIES FAMILY CURVES** 






**EZ G5 SERIES GROUP CURVES** 






**EZ G10 SERIES GROUP CURVES** 






**EZ G15 SERIES GROUP CURVES** 






**EZ G20 SERIES GROUP CURVES** 





**EZ G35 SERIES GROUP CURVES** 






500 H5B41-1 5HP H5 450 H5B34-1 5HP 400 350 H5B28 3HP Discharge Pressure (PSI) 300 H5B23 2HP 250 H5B17 1.5HP 200 H5B12 1HP 150 H5B10 .75HP 100 H5B8 .75HP H5B7 .75HP H5B6 .75HP H5B5 .5HP 50 H5B4 .5HP H5B3 .5HP H5B2 .5HP 0 0 2 8 4 6 10 Flow (gallons per minute)

**EZ H5 SERIES GROUP CURVES** 




**EZ H10 SERIES GROUP CURVES** 






**EZ H15 SERIES GROUP CURVES** 






**EZ H20 SERIES GROUP CURVES** 





**EZ H35 SERIES GROUP CURVES** 





**G5B6 Discharge Pressure (PSI)** 0.52 0.51 0.50 0.49 0.48 0.47 ВНР 0.46 0.45 0.44 0.43 GPM Flow (gallons per minute) **G5B7 Discharge Pressure (PSI)** 0.60 0.58 0.56 0.54 BHP 0.52 0.50 0.48 0.46 GPM Flow (gallons per minute)


Note:



**G5B8 Discharge Pressure (PSI)** 0.72 0.70 0.68 붑 0.66 0.64 0.62 0.60 10• GPM Flow (gallons per minute) G5B10 **Discharge Pressure (PSI)** 0.80 0.78 0.76 0.74 BH 0.72 0.70 0.68 GPM Flow (gallons per minute)


Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:






Note:





Note:






**HEAVY DUTY BOOSTER CURVES - 5 Series** 


Note:






Note:






Note:






Note:





Note:







Note:



**HEAVY DUTY BOOSTER CURVES - 10 Series** 







Note:



H10B6 **Discharge Pressure (PSI)** 0.70 0.68 0.66 BHP 0.64 0.62 0.60 0.58 GPM Flow (gallons per minute) H10B8 Discharge Pressure (PSI) 0.88 0.84 BHP 0.80 0.76 0.72 GPM Flow (gallons per minute)

Note:




H10B14 Discharge Pressure (PSI) 1.49 1.47 1.45 1.43 1.41 1.39 1.37 1.35 1.33 GPM Flow (gallons per minute) **241** H10B18 Discharge Pressure (PSI) 1.95 1.90 1.85 BHP 1.80 1.75 1.70 GPM 0 L 0 Flow (gallons per minute)


Note:



HEAVY DUTY BOOSTER CURVES - 10 Series







Note:



H15B2 **Discharge Pressure (PSI)** 0.38 0.37 0.36 0.35 0.34 뿝 0.33 0.32 0.31 0.30 0.29 GPM Flow (gallons per minute) H15B3 **Discharge Pressure (PSI)** 0.51 0.49 0.47 0.45 BHP 0.43 0.41 0.39 0.37 10 12 GPM Flow (gallons per minute)


Note:




H15B5 **Discharge Pressure (PSI)** 0.72 0.70 0.68 ВНР 0.66 0.64 0.62 0.60 0.58 GPM <sup>14</sup> Flow (gallons per minute) H15B7 **Discharge Pressure (PSI)** 0.95 0.90 0.85 BHP 0.80 0.75 0.70 GPM Flow (gallons per minute)

Note:










Note:



<sup>550</sup> **525** H15B40 **Discharge Pressure (PSI)** 5.20 .194. 5.10 ВНР 5.00 4.90 4.80 GPM Flow (gallons per minute)

Note:






Note:



**HEAVY DUTY BOOSTER CURVES - 20 Series** 





<sup>120</sup> 114 H20B9 **Discharge Pressure (PSI)** 1.40 1.35 1.30 1.25 ВНР 1.20 1.15 1.10 1.05 1.00 GPM Flow (gallons per minute) H20B12 **Discharge Pressure (PSI)** 2.10 2.05 2.00 1.95 ₽ 1.90 1.85 1.80 1.75 1.70 GPM Flow (gallons per minute)


Note:



H20B15 Discharge Pressure (PSI) 115<sup>-</sup> 2.50 2.40 2.30 2.20 BHP 2.10 2.00 1.90 1.80 1.70 GPM Flow (gallons per minute) H20B23 **Discharge Pressure (PSI)** 3.90 3.70 3.50 ВНР 3.30 3.10 2.90 2.70 GPM Flow (gallons per minute)

Note:






Note:



**HEAVY DUTY BOOSTER CURVES - 35 Series** 





H35B5 **Discharge Pressure (PSI)** 1.07 1.02 0.97 BHP 0.92 0.87 0.82 0.77 GPM Flow (gallons per minute) H35B6 **Discharge Pressure (PSI)** 1.35 1.30 1.25 1.20 ВΗР 1.15 1.10 1.05 1.00 GPM 0 ∟ 0 Flow (gallons per minute)

Note:




H35B9 **Discharge Pressure (PSI)** .79 2.2 2.1 2.0 BHP 1.9 1.8 1.7 1.6 GPM Flow (gallons per minute) H35B12 **Discharge Pressure (PSI)** 2.75 2.50 BHP 2.25 2.00 1.75 GPM 0 ∟ 0 Flow (gallons per minute)

Note:




**HEAVY DUTY BOOSTER CURVES - 35 Series** 





#### EZ SERIES BOOSTER, CAST IRON & STAINLESS STEEL Dimensions



- 1. The inlet and discharge thread size for C.I. and stainless steel models in the 5, 10, 15 GPM pump sizes is 1" NPT; The 20 and 35 GPM pump size is 1 1/2" NPT.
- **2.** Pump models that are 14 stages or more are equipped with a pump support located near the discharge of the pump. For stability, this support should be mounted approximately 4" from the discharge.
- 3. Allow 8" min. clearance behind the motor for maintenance.

Manufacturer	Motor Frame Size	Phase	Enclosure	В	С	D / D1	E	F	G	Н	J	к	L
Baldor	184CYZ	3	TEFC	13.80	3.88	4.50 / 5.50	7.50	8.63	4.50	8.44	7.88	6.75	4.00
Baldor	184CYZ	3	ODP	12.25	3.88	4.50 / 5.50	7.50	8.63	4.50	8.44	7.88	6.75	4.00
Baldor	184CYZ	1	TEFC	15.3	3.88	4.50 / 5.50	7.50	8.63	4.50	8.44	7.88	7.88	6.25
Baldor	184CYZ	1	ODP	12.25	3.88	4.50 / 5.50	7.50	8.63	4.50	8.44	7.88	6.64	5.125



# EZ SERIES BOOSTER, CAST IRON & STAINLESS STEEL

### **Dimensions (Inches)**


* CAST IRON MODEL NO.	А	В		* CAST IRON MODEL NO.	А	В	* CAST IRON MODEL NO.	Α	В
G5B6	11.95	10.13	Γ	H5B2	8.28	10.13	H20B3	10.17	10.53
G5B7	12.87	10.13		H5B3	9.20	10.13	H20B4	11.42	10.53
G5B8	13.79	10.13		H5B4	10.12	10.13	H20B6	13.90	11.13
G5B10	15.62	10.13		H5B5	11.03	10.13	H20B7	15.14	11.63
G5B12	17.46	10.53		H5B6	11.95	10.53	H20B9	17.63	11.63
G5B17	22.96	10.53		H5B7	12.87	10.53	H20B12	22.59	12.53
G5B23	29.38	11.13		H5B8	13.79	10.53	H20B15	26.32	13.63
G5B28	33.97	11.63		H5B10	15.62	10.53	H20B23-1	37.50	15.30
				H5B12	17.46	11.13	H20B33-1	51.16	15.30
G10B4	10.24	10.13		H5B17	22.96	11.63			
G10B5	11.18	10.13		H5B23	29.38	12.53	H35B2	9.27	10.53
G10B6	12.13	10.13		H5B28	33.97	13.63	H35B3	10.69	10.53
G10B8	14.03	10.53		H5B34-1	40.39	15.30	H35B5	13.51	11.63
G10B12	17.83	10.53		H5B41-1	46.82	15.30	H35B6	14.93	11.63
G10B14	19.71	11.13					H35B9	19.16	13.63
G10B15	20.66	11.13		H10B2	8.34	10.13	H35B12	24.82	13.63
G10B18	24.45	11.63		H10B3	9.29	10.13	H35B16-1	30.47	15.30
G10B26	32.98	12.53		H10B4	10.24	10.53	H35B23-1	40.36	15.30
				H10B5	11.18	10.53			
G15B5	11.50	10.13		H10B6	12.13	10.53			
G15B7	13.52	10.53		H10B8	14.03	11.13			
G15B9	15.54	10.53		H10B14	19.71	11.63			
G15B14	21.60	11.63		H10B18	24.45	12.53			
G15B20	27.67	12.53		H10B26-1	32.98	15.30			
				H10B34-1	41.50	15.30			
G20B3	10.17	10.13		H10B42-1	49.08	15.30			
G20B4	11.42	10.13							
G20B7	15.14	10.53		H15B2	8.47	10.13			
G20B9	17.63	11.13		H15B3	9.48	10.13			
G20B12	22.59	11.63		H15B5	11.50	10.53			
G20B15	26.32	12.53		H15B7	13.52	11.13			
G20B23	37.50	13.63		H15B9	15.54	11.63			
				H15B14	21.60	12.53			
G35B2	9.27	10.13		H15B20	27.67	13.63			
G35B3	10.69	10.13		H15B30-1	38.78	15.30			
G35B5	13.51	10.53		H15B40-1	49.90	15.30			
G35B6	14.93	11.13							
G35B9	19.16	11.63							
G35B12	24.82	12.53							
G35B16	30.47	13.63							

Note: "B" Dimensions above are estimated lengths, since we reserve the right to use various brand motors.



## **EZ SERIES BOOSTER REPAIR PARTS**

#### **Cast Iron & Stainless Steel Models**



There are 7 basic components that make up an EZ Series Booster Pump. These seven components are shown above in the display model pumps.

To order parts, note the **model number** and the **date code** of the EZ Booster pump you need a repair part for.